














www.Zricks.com



www.Zricks.com





www.Zricks.com

specifications

Seismic Zone II compliant

STRUCTURE

structure, Concrete solid block masonry

WALL FINISHING

Internal walls and ceiling finished with oil bound distemper, External walls painted with weather coat / weather shield paints

FLOORING

Vitrified tiles for living, dining and kitchen areas, Ceramic tiles for bedrooms, balconies and utility areas, Lobbies with rustic / vitrified tiles, Staircases with polished kota stone / granite

DOORS & WINDOWS

Main Doors with teak wood frames and teak finish flush doors, Other doors with solid timber frames with molded panel doors, Powder coated aluminium / UPVC windows and balcony

doors with plain glass in two

KITCHEN

tracks

Kitchen counter 20mm thick granite with single drain board

Ceramic tiles dado upto 7' height,

Polished granite counter with

ceramic basin, CP fitting of

ceramic basins of Cera or

equivalent in all toilets

ELECTRICAL

liahtina

LIFTS

www.Zricks.com

for lift facades

WATER SUPPLY

Jaguar or equivalent, EWC and

2 BHK - 4 KW KPTCL supply

and .75 KW DG Back Up, 3 BHK 5 KW KPTCL supply and 1 KW DG Back Up, 100% DG back up

for pumps, lifts & common area

CPVC lines for water supply,

UPVC / PVC lines for soil, drainage and external lines, Sewage treatment plant, Rain

water harvesting system

5 passenger lifts and 1 service

lift with Granite / Wood cladding

TOILETS

sink, Cladding with ceramic tiles

2' above the kitchen platform