

park floors - II

by



culture } movement .COM

ZRICKS



ZRICKS.COM



ZRICKS.COM



ZRICKS.COM



ZRICKS.COM



ZRICKS.COM




ZBRICKS.COM



ZRICKS



PARKLANDS




ZRICKS .COM




2BHK G+3 (1189 to 1225 sq.ft.)




2BHK G+3 with additional balcony
(1262 to 1283 sq. ft.)



2BHK G+5 (1037 to 1043 sq.ft.)





3BHK G+3 (1483
sq.ft.)



3BHK G+5 (1307 sq. ft.)





PROPOSED MEGA CITY AT FARIDABAD

Specifications

Read about all essential details and features being offered with this project.

LIVING/DINING

Wall Finish	Painted in pleasing shades of oil bound distemper
Flooring	Porcelain vitrified tiles

BEDROOMS

Wall Finish	Painted in pleasing shades of oil bound distemper
Flooring	Vitrified tiles

BATHROOMS

Flooring	Ceramic tiles
Dado	Select ceramic tiles
Fixtures & Fittings	Granite/marble counter, white sanitary ware and contemporary chrome plated fittings

KITCHEN

Flooring	Ceramic tiles
Dado	Ceramic tiles above working platform and the rest painted in oil bound distemper
Platform	Granite counter with single bowl stainless steel sink with drain board

BALCONY

Flooring	Anti-skid ceramic tiles
----------	-------------------------

DOORS & WINDOWS

Doors	Seasoned hardwood framed with painted board shutters
Windows	Aluminium/UPVC

FACILITIES

Electrical	Electrical copper wiring in concealed conduits for all light and power points
Power Back-up	Adequate power back-up offered
Parking	Sufficient car parking available
Shopping	Conveniently located shopping centre
Club	Recreational club for residents

OTHER FEATURES

Structure	Earthquake resistant RCC framed constructions
External Facade	Aesthetically finished in texture paint
Lobbies	Select granite/marble flooring and finished in select marble/granite cladding

EXTERNAL SPACES

Manicured green areas
Children's park
Jogging and walking track
Comfortable seating areas
Adequate street lighting and open area lighting

*Architects and the developer reserve the right to alter specifications and facilities for design improvement.