



















Specifications



Type of Construction

RCC framed structure (Earthquake resistant)



Exterior Finish

Permanent finish including stone cladding, composite aluminum sheets, Reflective glass curtain wall & texture paint finishes.



Internal Finish

POP/ gypsum board false ceiling/ aluminum ceiling in public areas. Stone/ vitrified tile/ stainless steel/ textured paint. Covering on the walls in Common spaces Plastered & DD painted walls in shops.



Doors & Windows

Aluminum glass glazing for show windows & doors.





Polished granite/ vitrified tiles in common areas & marble / ceramic file flooring in shops.



Toilets

Vitrified/ ceramic tile flooring/ walls, sanitary/ chinaware in light coloured shades of standard make. High quality CP fitting be provided.



Ventilation

Through centralized system wherever required.



Plumbing

Storage tanks for water, soil, waste & vent pipes. Grease traps for kitchen.



Lighting

Facade lighting, street lighting, Advt. & glow signage, required internal and task Lighting.



Security System

CCTV & other hi-tech controls. Round the clock security.



Air Conditioning

Centrally air-conditioned complex with Integrated lighting, Fire alarm system and International quality FCUs, AHUs & Energy efficient chillers.





Electrical System

Uninterrupted Power supply with 100% Power Backup. DG sets of international standards, electrical wiring and outlets separate metering for each shop.

Fire Fighting and Detection System

Shutdown of HVAC system in case of fire, Automatic smoke extraction in case of fire, Fire alarm system, Hose Reel provided, Wet riser provided, Yard hydrant provided, Fire extinguishers provided, Automatic sprinkler system, Break glass.



Common facilities

Common toilets in each floor, Modern high class glass fronted lifts, Piped music in all public areas, Public address system, Escalators, Elevators, Atriums.